New Hampshire Department of Education Bureau of School Safety and Facility Management 101 Pleasant Street, Concord, NH 03301-3852 Telephone: (603) 271-8049

PLAYGROUND SAFETY SELF INSPECTION CHECKLIST

This self-inspection checklist is recommended for periodic use. Routine safety checks of outdoor play areas reduce the potential for accidents and injuries.

SCHOOL INFORMATION:

School name:	Town/City:		SAU #:
School contact:	Title:		I
Identify each area used by students (e.g.,	K-play area, back play a	rea): Age of equipmo	ent in each area:
WHAT TO LOOK FOR (note additional comments below):	RESPONSE	CORRECTIVE ACTIO	DATE CORRECTED
Check equipment for cracks, bending, warps, rust or breakage of any component Check for tripping hazards (e.g., exposed footings, roots, rocks)			COMMEDIES
Check metal slides, platforms, steps, for proper shading to prevent burns			
Check for loose nuts, bolts and caps or protruding bolts with sharp edges and/or no caps			
Check play equipment, picnic tables, wood fencing for splintering wood			
Check the chains on swings to see that they are securely attached and rust free			
Monitor sand and play area for animal feces, poisonous plants, mushrooms			
Check tires for pooling water, beehives, etc.			
Check all equipment and buildings for chipping or peeling paint			
Monitor fence for thorny plants or bushes that may be accessible to children's reach			

New Hampshire Department of Education Bureau of School Safety and Facility Management 101 Pleasant Street, Concord, NH 03301-3852

Telephone: (603) 271-8049

Check the energy absorptive materials under/around equipment, rake if necessary. (6"-12" recommended) Check play area to ensure it is adequately
necessary. (6"-12" recommended) Check play area to ensure it is adequately
Check play area to ensure it is adequately
and the first of the control of the first of
protected from motor vehicle traffic
Check for fall exposure. Platforms 30" or
higher (20" for preschoolers) should have
a secure guardrail/barrier
Check equipment/guardrails for head
entrapment. Openings should be less
than 4" or greater than 9"
Additional Comments:

INSPECTION INFORMATION:	
Were all outdoor/play areas used by students inspected (Y/N)?	Date of inspection:
Inspector's name:	Inspector's position:
Inspector's signature:	Signature date:

For a more detailed safety and maintenance checklist and for specific guidelines, see "<u>Public Playground Safety Handbook</u>" by the National Program for Playground Safety (https://www.cpsc.gov/PageFiles/122149/325.pdf).